

Author Index to Volume 161

- Aguilar, A., M. González, F. Illas, J. Rubio and R. Sayós, Quasi-classical trajectory study of the dynamics of the reaction $O(^3P) + CS_2(X'^\Sigma_g^+) \rightarrow CS(X'^\Sigma^+) + SO(X^3\Sigma^-)$ using two model potential energy surfaces 161 (1992) 99
- Albrecht, A.C., see J.B. van Beek 161 (1992) 299
- Alper, J.S., H. Dothe and M.A. Lowe, Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion 161 (1992) 199
- Anjum, S., see A.W. Potts 161 (1992) 281
- Arikawa, T., see S. Tsurubuchi 161 (1992) 493
- Arteca, G.A. and P.G. Mezey, Deformation of electron densities in static external fields: shape group analysis for small molecules 161 (1992) 1
- Barzykin, A.V., Statistical mechanical treatment of a compartmentalized molecular ensemble. Application to electronic energy transfer in micellar systems 161 (1992) 63
- Baumgärtel, H., see S. Tobita 161 (1992) 501
- Benderskii, V.A., D.E. Makarov, D.L. Pastur and P.G. Grinevich, Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies 161 (1992) 51
- Benson, J., see A.W. Potts 161 (1992) 281
- Bhanuprakash, K., see L. Chantranupong 161 (1992) 351
- Billing, G.D., Quantum-classical reaction-path model for chemical reactions. V. Relation to transition state theory 161 (1992) 245
- Bonon, F., M. Brustolon, A.L. Maniero and U. Segre, An ENDOR study of the temperature dependence of methyl tunnelling 161 (1992) 257
- Brion, C.E., see X. Guo 161 (1992) 453
- Brion, C.E., see X. Guo 161 (1992) 471
- Broo, A. and S. Larsson, Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges 161 (1992) 363
- Brose, K.-H., see T. Luty 161 (1992) 33
- Brustolon, M., see F. Bonon 161 (1992) 257
- Buenker, R.J., see L. Chantranupong 161 (1992) 351
- Burgos, E. and E.B. Halac, Crystal packing and phase transitions in solid bromoform 161 (1992) 77
- Burri, J. and H. Fischer, Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR 161 (1992) 429
- Burton, G.R., see X. Guo 161 (1992) 453
- Burton, G.R., see X. Guo 161 (1992) 471
- Cacciatore, M., see C. Gorse 161 (1992) 211
- Capitelli, M., see C. Gorse 161 (1992) 211
- Celiberto, R., see C. Gorse 161 (1992) 211
- Chan, W.-F., see X. Guo 161 (1992) 453
- Chan, W.-F., see X. Guo 161 (1992) 471

Author Index to Volume 161

- Aguilar, A., M. González, F. Illas, J. Rubio and R. Sayós, Quasi-classical trajectory study of the dynamics of the reaction $O(^3P) + CS_2(X'^\Sigma_g^+) \rightarrow CS(X'^\Sigma^+) + SO(X^3\Sigma^-)$ using two model potential energy surfaces 161 (1992) 99
- Albrecht, A.C., see J.B. van Beek 161 (1992) 299
- Alper, J.S., H. Dothe and M.A. Lowe, Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion 161 (1992) 199
- Anjum, S., see A.W. Potts 161 (1992) 281
- Arikawa, T., see S. Tsurubuchi 161 (1992) 493
- Arteca, G.A. and P.G. Mezey, Deformation of electron densities in static external fields: shape group analysis for small molecules 161 (1992) 1
- Barzykin, A.V., Statistical mechanical treatment of a compartmentalized molecular ensemble. Application to electronic energy transfer in micellar systems 161 (1992) 63
- Baumgärtel, H., see S. Tobita 161 (1992) 501
- Benderskii, V.A., D.E. Makarov, D.L. Pastur and P.G. Grinevich, Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies 161 (1992) 51
- Benson, J., see A.W. Potts 161 (1992) 281
- Bhanuprakash, K., see L. Chantranupong 161 (1992) 351
- Billing, G.D., Quantum-classical reaction-path model for chemical reactions. V. Relation to transition state theory 161 (1992) 245
- Bonon, F., M. Brustolon, A.L. Maniero and U. Segre, An ENDOR study of the temperature dependence of methyl tunnelling 161 (1992) 257
- Brion, C.E., see X. Guo 161 (1992) 453
- Brion, C.E., see X. Guo 161 (1992) 471
- Broo, A. and S. Larsson, Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges 161 (1992) 363
- Brose, K.-H., see T. Luty 161 (1992) 33
- Brustolon, M., see F. Bonon 161 (1992) 257
- Buenker, R.J., see L. Chantranupong 161 (1992) 351
- Burgos, E. and E.B. Halac, Crystal packing and phase transitions in solid bromoform 161 (1992) 77
- Burri, J. and H. Fischer, Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR 161 (1992) 429
- Burton, G.R., see X. Guo 161 (1992) 453
- Burton, G.R., see X. Guo 161 (1992) 471
- Cacciatore, M., see C. Gorse 161 (1992) 211
- Capitelli, M., see C. Gorse 161 (1992) 211
- Celiberto, R., see C. Gorse 161 (1992) 211
- Chan, W.-F., see X. Guo 161 (1992) 453
- Chan, W.-F., see X. Guo 161 (1992) 471

- Chantranupong, L., K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker, A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule 161 (1992) 351
- Chizhov, Y., see A. Rosa 161 (1992) 127
- Chojnacki, H., see K. Palewska 161 (1992) 437
- Christophorou, L.G., see S. Tobita 161 (1992) 501
- Chu, C., see R. Wallace 161 (1992) 155
- Cooper, G., see X. Guo 161 (1992) 453
- Cooper, G., see X. Guo 161 (1992) 471
- Cremer, D., see E. Kraka 161 (1992) 149
- Dewey, T.G., Probing dynamical disorder kinetics with chemical relaxation techniques 161 (1992) 339
- Dothe, H., see J.S. Alper 161 (1992) 199
- Eggenberger, R., S. Gerber, H. Huber and D. Searles, Ab initio calculation of the second virial coefficient of neon and the potential energy curve of Ne₂, Chem. Phys. 156 (1991) 395-401. Erratum 161 (1992) 527
- Embs, F.W., see S. Mittler-Neher 161 (1992) 289
- Engler, C., see R. Neumann 161 (1992) 229
- Fain, B. and S.H. Lin, Theory of optical properties in nonstationary media created by femtosecond pulses: linear case 161 (1992) 515
- Fischer, H., see J. Burri 161 (1992) 429
- Fleischhauer, H.-C., see C. Kryschi 161 (1992) 485
- Frantz, D.D., see S. Kais 161 (1992) 393
- Gabriel, H., see U. Schnabel 161 (1992) 313
- Galasso, V., Ab initio study of multiphoton absorption properties of methane, ethane, propane, and butane 161 (1992) 189
- Gerber, S., see R. Eggenberger 161 (1992) 527
- González, M., see A. Aguilar 161 (1992) 99
- Gorse, C., R. Celiberto, M. Cacciatore, A. Laganà and M. Capitelli, From dynamics to modeling of plasma complex systems: negative ion (H⁻) sources 161 (1992) 211
- Grinevich, P.G., see V.A. Benderskii 161 (1992) 51
- Guo, X., G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion, Absolute oscillator strengths for the photoabsorption, photoionization and ionic photofragmentation of silicon tetrafluoride. I. The valence shell 161 (1992) 453
- Guo, X., G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion, Absolute oscillator strengths for the photoabsorption, photoionization and ionic photofragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells 161 (1992) 471
- Haase, D., Cluster expansion of molecular tensor properties: electric dipole moments of methane derivatives 161 (1992) 403
- Halac, E.B., see E. Burgos 161 (1992) 77
- Hermansson, K., see L. Ojamäe 161 (1992) 87
- Herschbach, D.R., see S. Kais 161 (1992) 393
- Hirsch, G., see L. Chantranupong 161 (1992) 351

- Honigmann, M., see L. Chantranupong 161 (1992) 351
Huber, H., see R. Eggenberger 161 (1992) 527
- Ihara, S., see T. Ogawa 161 (1992) 509
Illas, F., see A. Aguilar 161 (1992) 99
Illenberger, E., see S. Tobita 161 (1992) 501
- Joyeux, M., Numerical studies on the interactions between Fermi polyads: quantum and semiclassical chaos 161 (1992) 11
- Kais, S., D.D. Frantz and D.R. Herschbach, Electronic tunneling in H_2^+ evaluated from the large-dimension limit 161 (1992) 393
Kajii, Y., see T. Suzuki 161 (1992) 447
Kajzar, F., see J.B. van Beek 161 (1992) 299
Kim, K., see H. Park 161 (1992) 265
Kim, M.S., see H. Park 161 (1992) 265
Klokishner, S.I., see A.V. Koryachenko 161 (1992) 141
Koch, A., B.M. Nestmann and S.D. Peyerimhoff, Application of the $(Z+1)$ -core analogy model to tetrahedral compounds of first- and second-row elements 161 (1992) 169
Koningstein, J.A., see P. Myslinski 161 (1992) 273
Koryachenko, A.V., S.I. Klokishner and B.S. Tsukerblat, Magnetic moments and electron heat capacity of charge-ordered high-spin Fe(II)-Fe(III) dimers 161 (1992) 141
Kraka, E. and D. Cremer, Homolytic dissociation energies from GVB-LSDC calculations 161 (1992) 149
Krysch, C., H.-C. Fleischhauer and B. Wagner, The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals 161 (1992) 485
- Laganà, A., see C. Gorse 161 (1992) 211
Larsson, S., see A. Broo 161 (1992) 363
Leach, S., see S. Tobita 161 (1992) 501
Lee, S.B., see H. Park 161 (1992) 265
Lelj, F., see A. Rosa 161 (1992) 127
Lin, S.H., see B. Fain 161 (1992) 515
Linderberg, J., see S.B. Padkjær 161 (1992) 419
Linert, W., P. Margl and F. Renz, Solute-solvent interactions between cyclodextrin and water: a molecular mechanical study 161 (1992) 327
Lowe, M.A., see J.S. Alper 161 (1992) 199
Luty, T. and K.-H. Brose, Charge-transfer contributions to the dielectric response of weak electron donor-acceptor complex crystals 161 (1992) 33
- Makarov, D.E., see V.A. Benderskii 161 (1992) 51
Maniero, A.L., see F. Bonon 161 (1992) 257
Margl, P., see W. Linert 161 (1992) 327
Matsuoka, S., see S. Tsurubuchi 161 (1992) 493
Meinke, M., see S. Tobita 161 (1992) 501
Meister, E.C., see K. Palewska 161 (1992) 437
Mezey, P.G., see G.A. Arteca 161 (1992) 1

- Mittler-Neher, S., D. Neher, G.I. Stegeman, F.W. Embs and G. Wegner, Polarization dependent resonant THG on Langmuir-Blodgett multilayers of rod-like polysilanes during annealing 161 (1992) 289
- Motohashi, K., see S. Tsurubuchi 161 (1992) 493
- Myslinski, P. and J.A. Konigstein, Picosecond fluorescence anisotropy of Chl *a* in solution 161 (1992) 273
- Nakashima, K., see T. Ogawa 161 (1992) 509
- Neher, D., see S. Mittler-Neher 161 (1992) 289
- Nestmann, B.M., see A. Koch 161 (1992) 169
- Neumann, R. and C. Engler, Numerical evaluation of FC factors for highly anharmonic multidimensional potentials 161 (1992) 229
- Novak, I., see A.W. Potts 161 (1992) 281
- Obi, K., see T. Suzuki 161 (1992) 447
- Ogawa, T., S. Ihara and K. Nakashima, Fano plots for the slow and fast groups of excited hydrogen atoms produced in e-H₂ collisions 161 (1992) 509
- Ojamäe, L. and K. Hermansson, The OH stretching frequency in LiClO₄·3H₂O(s) from ab initio and model potential calculations 161 (1992) 87
- Ouillon, R., see C. Turc 161 (1992) 39
- Padkjær, S.B., J.J. Soares Neto and J. Linderberg, Non-zero total angular momentum calculations of rovibrational levels for triatomic molecules using generator coordinates 161 (1992) 419
- Palewska, K., Z. Ruziewicz, H. Chojnacki and E.C. Meister, High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices 161 (1992) 437
- Park, H., S.B. Lee, M.S. Kim and K. Kim, Effects on silver surface enhanced Raman spectroscopy by competitive adsorption of hydroxide and halide ions 161 (1992) 265
- Pastur, D.L., see V.A. Benderskii 161 (1992) 51
- Perrin, B., see C. Turc 161 (1992) 39
- Petrella, G., Atomic scattering from disordered surfaces: a theoretical analysis of the cross-section overlap hypothesis 161 (1992) 237
- Peyerimhoff, S.D., see A. Koch 161 (1992) 169
- Peyerimhoff, S.D., see R. Vetter 161 (1992) 379
- Potts, A.W., S. Anjum, J. Benson and I. Novak, Matrix isolation in photoelectron spectroscopy 161 (1992) 281
- Ranson, P., see C. Turc 161 (1992) 39
- Renz, F., see W. Linert 161 (1992) 327
- Reuter, W., see R. Vetter 161 (1992) 379
- Ricciardi, G., see A. Rosa 161 (1992) 127
- Rosa, A., G. Ricciardi, F. Lelj and Y. Chizhov, Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of dibenzo[b,i][1,4,8,11]tetraaza[14]annulene-nickel(II) 161 (1992) 127
- Rubahn, H.-G., Energy transfer in collisions of vibrationally excited diatomics with atoms at low energies (1-100 meV) 161 (1992) 19
- Rubio, J., see A. Aguilar 161 (1992) 99
- Ruziewicz, Z., see K. Palewska 161 (1992) 437

- Sayós, R., see A. Aguilar 161 (1992) 99
- Schnabel, U. and H. Gabriel, Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment 161 (1992) 313
- Searles, D., see R. Eggenberger 161 (1992) 527
- Segre, U., see F. Bonon 161 (1992) 257
- Shibuya, K., see T. Suzuki 161 (1992) 447
- Soares Neto, J.J., see S.B. Padkjær 161 (1992) 419
- Stegeman, G.I., see S. Mittler-Neher 161 (1992) 289
- Suzuki, T., Y. Kajii, K. Shibuya and K. Obi, Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique 161 (1992) 447
- Tobita, S., M. Meinke, E. Illenberger, L.G. Christophorou, H. Baumgärtel and S. Leach, Polycyclic aromatic hydrocarbons: negative ion formation following low energy (0–15 eV) electron impact 161 (1992) 501
- Tsukerblat, B.S., see A.V. Koryachenko 161 (1992) 141
- Tsurubuchi, S., K. Motohashi, S. Matsuoka and T. Arikawa, Dissociative excitation of SiH₄ by electron impact: emission cross sections for fragment species 161 (1992) 493
- Turc, C., B. Perrin, R. Ouillon and P. Ranson, Effect of orientational and substitutional disorders on the N₂ vibrational exciton in N₂/CO mixed crystals 161 (1992) 39
- Van Beek, J.B., F. Kajzar and A.C. Albrecht, Third-harmonic generation from all-trans β -carotene in polystyrene thin films: multiple reflection effects and the onset of a two-photon resonance 161 (1992) 299
- Vetter, R., W. Reuter and S.D. Peyerimhoff, Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region 161 (1992) 379
- Wagner, B., see C. Kryschi 161 (1992) 485
- Wallace, R. and C. Chu, Large amplitude Hamiltonians for internal motion in AX₃ molecules. Inversion-rotation and stretching modes of NH₃ 161 (1992) 155
- Wegner, G., see S. Mittler-Neher 161 (1992) 289

Subject Index to Volume 161

Methods

Theoretical

Group theory and algebras

- Deformation of electron densities in static external fields: shape group analysis for small molecules, G.A. Arteca and P.G. Mezey 161 (1992) 1

Classical mechanics

- Numerical studies on the interactions between Fermi polyads: quantum and semiclassical chaos, M. Joyeux 161 (1992) 11
- Energy transfer in collisions of vibrationally excited diatomics with atoms at low energies (1–100 meV), H.-G. Rubahn 161 (1992) 19

Coupling schemes and perturbative treatments

- Charge-transfer contributions to the dielectric response of weak electron donor–acceptor complex crystals, T. Luty and K.-H. Brose 161 (1992) 33
- Effect of orientational and substitutional disorders on the N₂ vibrational exciton in N₂/CO mixed crystals, C. Turc, B. Perrin, R. Ouillon and P. Ranson 161 (1992) 39

Transport quantum mechanics

- Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies, V.A. Benderskii, D.E. Makarov, D.L. Pastur and P.G. Grinevich 161 (1992) 51
- Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment, U. Schnabel and H. Gabriel 161 (1992) 313

Equilibrium statistical mechanics

- Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies, V.A. Benderskii, D.E. Makarov, D.L. Pastur and P.G. Grinevich 161 (1992) 51
- Statistical mechanical treatment of a compartmentalized molecular ensemble. Application to electronic energy transfer in micellar systems, A.V. Barzykin 161 (1992) 63
- Solute–solvent interactions between cyclodextrin and water: a molecular mechanical study, W. Linert, P. Margl and F. Renz 161 (1992) 327

Statistical mechanics of stationary states

- Crystal packing and phase transitions in solid bromoform, E. Burgos and E.B. Halac 161 (1992) 77
- Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment, U. Schnabel and H. Gabriel 161 (1992) 313

Non-equilibrium thermodynamic and hydrodynamic theories

- Probing dynamical disorder kinetics with chemical relaxation techniques, T.G. Dewey 161 (1992) 339

Ab initio schemes for stationary properties

- Deformation of electron densities in static external fields: shape group analysis for small molecules, G.A. Artica and P.G. Mezey 161 (1992) 1
- The OH stretching frequency in $\text{LiClO}_4 \cdot 3\text{H}_2\text{O}(\text{s})$ from ab initio and model potential calculations, L. Ojamäe and K. Hermansson 161 (1992) 87
- Quasi-classical trajectory study of the dynamics of the reaction $\text{O}(^3\text{P}) + \text{CS}_2(\text{X}'\Sigma_g^+) \rightarrow \text{CS}(\text{X}'\Sigma^+) + \text{SO}(\text{X}^3\Sigma^-)$ using two model potential energy surfaces, A. Aguilar, M. González, F. Illas, J. Rubio and R. Sayós 161 (1992) 99
- Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of dibenzo[b,i][1,4,8,11]tetraaza[14]annulenenickel(II), A. Rosa, G. Ricciardi, F. Lelj and Y. Chizhov 161 (1992) 127
- Magnetic moments and electron heat capacity of charge-ordered high-spin Fe(II)–Fe(III) dimers, A.V. Koryachenko, S.I. Klokishner and B.S. Tsukerblat 161 (1992) 141
- Homolytic dissociation energies from GVB-LSDC calculations, E. Kraka and D. Cremer 161 (1992) 149
- Large amplitude Hamiltonians for internal motion in AX_3 molecules. Inversion–rotation and stretching modes of NH_3 , R. Wallace and C. Chu 161 (1992) 155
- Application of the $(Z+1)$ -core analogy model to tetrahedral compounds of first- and second-row elements, A. Koch, B.M. Nestmann and S.D. Peyerimhoff 161 (1992) 169
- Ab initio study of multiphoton absorption properties of methane, ethane, propane, and butane, V. Galasso 161 (1992) 189
- A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule, L. Chantranupong, K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker 161 (1992) 351
- Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges, A. Broo and S. Larsson 161 (1992) 363
- Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, R. Vetter, W. Reuter and S.D. Peyerimhoff 161 (1992) 379
- Electronic tunneling in H_2^+ evaluated from the large-dimension limit, S. Kais, D.D. Frantz and D.R. Herschbach 161 (1992) 393

Computational and simulation methods

- Deformation of electron densities in static external fields: shape group analysis for small molecules, G.A. Artica and P.G. Mezey 161 (1992) 1
- Crystal packing and phase transitions in solid bromoform, E. Burgos and E.B. Halac 161 (1992) 77
- The OH stretching frequency in $\text{LiClO}_4 \cdot 3\text{H}_2\text{O}(\text{s})$ from ab initio and model potential calculations, L. Ojamäe and K. Hermansson 161 (1992) 87
- Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion, J.S. Alper, H. Dothe and M.A. Lowe 161 (1992) 199
- From dynamics to modeling of plasma complex systems: negative ion (H^-) sources, C. Gorse, R. Celiberto, M. Cacciatore, A. Laganà and M. Capitelli 161 (1992) 211
- Numerical evaluation of FC factors for highly anharmonic multidimensional potentials, R. Neumann and C. Engler 161 (1992) 229
- Solute–solvent interactions between cyclodextrin and water: a molecular mechanical study, W. Linert, P. Margl and F. Renz 161 (1992) 327

- Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges, A. Broo and S. Larsson 161 (1992) 363
- Cluster expansion of molecular tensor properties: electric dipole moments of methane derivatives, D. Haase 161 (1992) 403
- Non-zero total angular momentum calculations of rovibrational levels for triatomic molecules using generator coordinates, S.B. Padkjær, J.J. Soares Neto and J. Linderberg 161 (1992) 419
- High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices, K. Palewska, Z. Ruziewicz, H. Chojnacki and E.C. Meister 161 (1992) 437

Molecular dynamics and scattering theory

- Numerical studies on the interactions between Fermi polyads: quantum and semiclassical chaos, M. Joyeux 161 (1992) 11
- Quasi-classical trajectory study of the dynamics of the reaction $O(^3P) + CS_2(X^1\Sigma_g^+) \rightarrow CS(X^1\Sigma^+) + SO(X^3\Sigma^-)$ using two model potential energy surfaces, A. Aguilar, M. González, F. Illas, J. Rubio and R. Sayós 161 (1992) 99
- Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion, J.S. Alper, H. Dothe and M.A. Lowe 161 (1992) 199
- Atomic scattering from disordered surfaces: a theoretical analysis of the cross-section overlap hypothesis, G. Petrella 161 (1992) 237
- Quantum-classical reaction-path model for chemical reactions. V. Relation to transition state theory, G.D. Billing 161 (1992) 245

Experimental

Magnetic resonances

- An ENDOR study of the temperature dependence of methyl tunnelling, F. Bonon, M. Brustolon, A.L. Maniero and U. Segre 161 (1992) 257
- Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR, J. Burri and H. Fischer 161 (1992) 429

Raman spectroscopy

- Effect of orientational and substitutional disorders on the N_2 vibrational exciton in N_2/CO mixed crystals, C. Turc, B. Perrin, R. Ouillon and P. Ranson 161 (1992) 39
- Effects on silver surface enhanced Raman spectroscopy by competitive adsorption of hydroxide and halide ions, H. Park, S.B. Lee, M.S. Kim and K. Kim 161 (1992) 265

Visible and UV spectroscopy

- Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of dibenzo[b,i][1,4,8,11]tetraaza[14]annulenenickel(II), A. Rosa, G. Ricciardi, F. Lejl and Y. Chizhov 161 (1992) 127
- Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, R. Vetter, W. Reuter and S.D. Peyerimhoff 161 (1992) 379
- Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 161 (1992) 447
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. I. The valence shell, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 453

- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 471
- Fluorescence spectroscopy*
- Picosecond fluorescence anisotropy of Chl *a* in solution, P. Myslinski and J.A. Koningstein 161 (1992) 273
- High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices, K. Palewska, Z. Ruziewicz, H. Chojnacki and E.C. Meister 161 (1992) 437
- The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals, C. Krysch, H.-C. Fleischhauer and B. Wagner 161 (1992) 485
- Dissociative excitation of SiH₄ by electron impact: emission cross sections for fragment species, S. Tsurubuchi, K. Motohashi, S. Matsuoka and T. Arikawa 161 (1992) 493
- Photoelectron and Auger spectroscopy*
- Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of dibenzo[*b,i*][1,4,8,11]tetraaza[14]annulenenickel(II), A. Rosa, G. Ricciardi, F. Lelj and Y. Chizhov 161 (1992) 127
- Matrix isolation in photoelectron spectroscopy, A.W. Potts, S. Anjum, J. Benson and I. Novak 161 (1992) 281
- Electron impact spectroscopy*
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. I. The valence shell, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 453
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 471
- Polycyclic aromatic hydrocarbons: negative ion formation following low energy (0–15 eV) electron impact, S. Tobita, M. Meinke, E. Illenberger, L.G. Christophorou, H. Baumgärtel and S. Leach 161 (1992) 501
- Fano plots for the slow and fast groups of excited hydrogen atoms produced in e–H₂ collisions, T. Ogawa, S. Ihara and K. Nakashima 161 (1992) 509
- Laser methods*
- Theory of optical properties in nonstationary media created by femtosecond pulses: linear case, B. Fain and S.H. Lin 161 (1992) 515
- Picosecond spectroscopy*
- Picosecond fluorescence anisotropy of Chl *a* in solution, P. Myslinski and J.A. Koningstein 161 (1992) 273
- Non-linear optical spectroscopy*
- Polarization dependent resonant THG on Langmuir–Blodgett multilayers of rod-like polysilanes during annealing, S. Mittler-Neher, D. Neher, G.I. Stegeman, F.W. Embs and G. Wegner 161 (1992) 289
- Third-harmonic generation from all-trans β -carotene in polystyrene thin films: multiple reflection effects and the onset of a two-photon resonance, J.B. van Beek, F. Kajzar and A.C. Albrecht 161 (1992) 299

Atomic and molecular beam techniques

- Polycyclic aromatic hydrocarbons: negative ion formation following low energy (0–15 eV) electron impact, S. Tobita, M. Meinke, E. Illenberger, L.G. Christophorou, H. Baumgärtel and S. Leach 161 (1992) 501
- Fano plots for the slow and fast groups of excited hydrogen atoms produced in e–H₂ collisions, T. Ogawa, S. Ihara and K. Nakashima 161 (1992) 509

Time-resolved experiments

- Probing dynamical disorder kinetics with chemical relaxation techniques, T.G. Dewey 161 (1992) 339

Mass spectrometry

- Polycyclic aromatic hydrocarbons: negative ion formation following low energy (0–15 eV) electron impact, S. Tobita, M. Meinke, E. Illenberger, L.G. Christophorou, H. Baumgärtel and S. Leach 161 (1992) 501

Objects**Bulk systems***Liquid mixtures and solutions*

- Effects on silver surface enhanced Raman spectroscopy by competitive adsorption of hydroxide and halide ions, H. Park, S.B. Lee, M.S. Kim and K. Kim 161 (1992) 265
- Picosecond fluorescence anisotropy of Chl *a* in solution, P. Myslinski and J.A. Koningstein 161 (1992) 273
- Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 161 (1992) 447

Crystals

- Crystal packing and phase transitions in solid bromoform, E. Burgos and E.B. Halac 161 (1992) 77
- The OH stretching frequency in LiClO₄·3H₂O(s) from ab initio and model potential calculations, L. Ojamäe and K. Hermansson 161 (1992) 87
- Magnetic moments and electron heat capacity of charge-ordered high-spin Fe(II)–Fe(III) dimers, A.V. Koryachenko, S.I. Klokishner and B.S. Tsukerblat 161 (1992) 141
- Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment, U. Schnabel and H. Gabriel 161 (1992) 313

–mixed

- Charge-transfer contributions to the dielectric response of weak electron donor–acceptor complex crystals, T. Luty and K.-H. Brose 161 (1992) 33
- Effect of orientational and substitutional disorders on the N₂ vibrational exciton in N₂/CO mixed crystals, C. Turc, B. Perrin, R. Ouillon and P. Ranson 161 (1992) 39
- The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals, C. Kryschi, H.-C. Fleischhauer and B. Wagner 161 (1992) 485

Polymers

- Polarization dependent resonant THG on Langmuir–Blodgett multilayers of rod-like polysilanes during annealing, S. Mittler-Neher, D. Neher, G.I. Stegeman, F.W. Embs and G. Wegner 161 (1992) 289

Thin films

- Polarization dependent resonant THG on Langmuir-Blodgett multilayers of rod-like polysilanes during annealing, S. Mittler-Neher, D. Neher, G.I. Stegeman, F.W. Embs and G. Wegner 161 (1992) 289

Surfaces

- Atomic scattering from disordered surfaces: a theoretical analysis of the cross-section overlap hypothesis, G. Petrella 161 (1992) 237
- Effects on silver surface enhanced Raman spectroscopy by competitive adsorption of hydroxide and halide ions, H. Park, S.B. Lee, M.S. Kim and K. Kim 161 (1992) 265

Dielectrics

- Charge-transfer contributions to the dielectric response of weak electron donor-acceptor complex crystals, T. Luty and K.-H. Brose 161 (1992) 33

Plasmas

- From dynamics to modeling of plasma complex systems: negative ion (H^-) sources, C. Gorse, R. Celiberto, M. Cacciato, A. Laganà and M. Capitelli 161 (1992) 211

Biological systems

- Probing dynamical disorder kinetics with chemical relaxation techniques, T.G. Dewey 161 (1992) 339

Microscopic systems*Molecules (neutral and ionic)*

- Electronic tunneling in H_2^+ evaluated from the large-dimension limit, S. Kais, D.D. Frantz and D.R. Herschbach 161 (1992) 393
- Dissociative excitation of SiH_4 by electron impact: emission cross sections for fragment species, S. Tsurubuchi, K. Motohashi, S. Matsuoka and T. Arikawa 161 (1992) 493

-diatomic

- Energy transfer in collisions of vibrationally excited diatomics with atoms at low energies (1–100 meV), H.-G. Rubahn 161 (1992) 19
- Homolytic dissociation energies from GVB-LSDC calculations, E. Kraka and D. Cremer 161 (1992) 149
- A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule, L. Chantryanupong, K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker 161 (1992) 351
- Electronic tunneling in H_2^+ evaluated from the large-dimension limit, S. Kais, D.D. Frantz and D.R. Herschbach 161 (1992) 393
- Fano plots for the slow and fast groups of excited hydrogen atoms produced in $e-H_2$ collisions, T. Ogawa, S. Ihara and K. Nakashima 161 (1992) 509

-small polyatomics

- Deformation of electron densities in static external fields: shape group analysis for small molecules, G.A. Arteca and P.G. Mezey 161 (1992) 1
- Numerical studies on the interactions between Fermi polyads: quantum and semiclassical chaos, M. Joyeux 161 (1992) 11

- Homolytic dissociation energies from GVB-LSDC calculations, E. Kraka and D. Cremer 161 (1992) 149
- Large amplitude Hamiltonians for internal motion in AX_3 molecules. Inversion-rotation and stretching modes of NH_3 , R. Wallace and C. Chu 161 (1992) 155
- Application of the $(Z+1)$ -core analogy model to tetrahedral compounds of first- and second-row elements, A. Koch, B.M. Nestmann and S.D. Peyerimhoff 161 (1992) 169
- Ab initio study of multiphoton absorption properties of methane, ethane, propane, and butane, V. Galasso 161 (1992) 189
- Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion, J.S. Alper, H. Dothe and M.A. Lowe 161 (1992) 199
- Cluster expansion of molecular tensor properties: electric dipole moments of methane derivatives, D. Haase 161 (1992) 403
- Non-zero total angular momentum calculations of rovibrational levels for triatomic molecules using generator coordinates, S.B. Padkjær, J.J. Soares Neto and J. Linderberg 161 (1992) 419
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photofragmentation of silicon tetrafluoride. I. The valence shell, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 453
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photofragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 471
- Dissociative excitation of SiH_4 by electron impact: emission cross sections for fragment species, S. Tsurubuchi, K. Motohashi, S. Matsuoka and T. Arikawa 161 (1992) 493
- aromatics*
- High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices, K. Palewska, Z. Ruziewicz, H. Chojnacki and E.C. Meister 161 (1992) 437
- Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 161 (1992) 447
- The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals, C. Kryschi, H.-C. Fleischhauer and B. Wagner 161 (1992) 485
- Polycyclic aromatic hydrocarbons: negative ion formation following low energy (0–15 eV) electron impact, S. Tobita, M. Meinke, E. Illenberger, L.G. Christophorou, H. Baumgärtel and S. Leach 161 (1992) 501
- other large*
- Homolytic dissociation energies from GVB-LSDC calculations, E. Kraka and D. Cremer 161 (1992) 149
- Molecular aggregates*
- Matrix isolation in photoelectron spectroscopy, A.W. Potts, S. Anjum, J. Benson and I. Novak 161 (1992) 281
- dimers*
- Picosecond fluorescence anisotropy of Chl *a* in solution, P. Myslinski and J.A. Koningstein 161 (1992) 273
- clusters*
- Matrix isolation in photoelectron spectroscopy, A.W. Potts, S. Anjum, J. Benson and I. Novak 161 (1992) 281

-complexes

- Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of di-benzo[b,i][1,4,8,11]tetraaza[14]annulenenickel(II), A. Rosa, G. Ricciardi, F. Lelj and Y. Chizhov 161 (1992) 127

- Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges, A. Broo and S. Larsson 161 (1992) 363

Free radicals (including hydronium and muonium)

- An ENDOR study of the temperature dependence of methyl tunnelling, F. Bonon, M. Brustolon, A.L. Maniero and U. Segre 161 (1992) 257

- Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR, J. Burri and H. Fischer 161 (1992) 429

Defects and impurities

- Atomic scattering from disordered surfaces: a theoretical analysis of the cross-section overlap hypothesis, G. Petrella 161 (1992) 237

Ions and charge carriers

- Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR, J. Burri and H. Fischer 161 (1992) 429

Thin films

- Third-harmonic generation from all-trans β -carotene in polystyrene thin films: multiple reflection effects and the onset of a two-photon resonance, J.B. van Beek, F. Kajzar and A.C. Albrecht 161 (1992) 299

Phenomena*Molecular structure*

- Solute-solvent interactions between cyclodextrin and water: a molecular mechanical study, W. Linert, P. Margl and F. Renz 161 (1992) 327

- Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, R. Vetter, W. Reuter and S.D. Peyerimhoff 161 (1992) 379

Vibrations and rotations of molecules

- Numerical studies on the interactions between Fermi polyads: quantum and semiclassical chaos, M. Joyeux 161 (1992) 11

- The OH stretching frequency in $\text{LiClO}_4 \cdot 3\text{H}_2\text{O}(\text{s})$ from ab initio and model potential calculations, L. Ojamäe and K. Hermansson 161 (1992) 87

- Large amplitude Hamiltonians for internal motion in AX_3 molecules. Inversion-rotation and stretching modes of NH_3 , R. Wallace and C. Chu 161 (1992) 155

- Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion, J.S. Alper, H. Dothe and M.A. Lowe 161 (1992) 199

- Numerical evaluation of FC factors for highly anharmonic multidimensional potentials, R. Neumann and C. Engler 161 (1992) 229

- A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule, L. Chantranupong, K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker 161 (1992) 351

- Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, R. Vetter, W. Reuter and S.D. Peyerimhoff 161 (1992) 379

Electronic structure and states

- Porphyrin-like macrocyclic complexes: a spectroscopic and theoretical study of dibenzo[b,i][1,4,8,11]tetraaza[14]annulenenickel(II), A. Rosa, G. Ricciardi, F. Lejl and Y. Chizhov 161 (1992) 127
- Homolytic dissociation energies from GVB-LSDC calculations, E. Kraka and D. Cremer 161 (1992) 149
- Application of the (Z+1)-core analogy model to tetrahedral compounds of first- and second-row elements, A. Koch, B.M. Nestmann and S.D. Peyerimhoff 161 (1992) 169
- Matrix isolation in photoelectron spectroscopy, A.W. Potts, S. Anjum, J. Benson and I. Novak 161 (1992) 281
- Third-harmonic generation from all-trans β -carotene in polystyrene thin films: multiple reflection effects and the onset of a two-photon resonance, J.B. van Beek, F. Kajzar and A.C. Albrecht 161 (1992) 299
- A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule, L. Chantranupong, K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker 161 (1992) 351
- Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges, A. Broo and S. Larsson 161 (1992) 363
- Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, R. Vetter, W. Reuter and S.D. Peyerimhoff 161 (1992) 379
- High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices, K. Palewska, Z. Ruziewicz, H. Chojnacki and E.C. Meister 161 (1992) 437

Electric and magnetic properties

- Magnetic moments and electron heat capacity of charge-ordered high-spin Fe(II)-Fe(III) dimers, A.V. Koryachenko, S.I. Klokishner and B.S. Tsukerblat 161 (1992) 141
- A configuration interaction study of the oscillator strengths for various low-lying transitions of the CO molecule, L. Chantranupong, K. Bhanuprakash, M. Honigmann, G. Hirsch and R.J. Buenker 161 (1992) 351
- Cluster expansion of molecular tensor properties: electric dipole moments of methane derivatives, D. Haase 161 (1992) 403

Molecular interactions

- Energy transfer in collisions of vibrationally excited diatomics with atoms at low energies (1-100 meV), H.-G. Rubahn 161 (1992) 19
- Charge-transfer contributions to the dielectric response of weak electron donor-acceptor complex crystals, T. Luty and K.-H. Brose 161 (1992) 33
- Effect of orientational and substitutional disorders on the N₂ vibrational exciton in N₂/CO mixed crystals, C. Turc, B. Perrin, R. Ouillon and P. Ranson 161 (1992) 39

Spectral bandshapes and intensities

- Effect of orientational and substitutional disorders on the N₂ vibrational exciton in N₂/CO mixed crystals, C. Turc, B. Perrin, R. Ouillon and P. Ranson 161 (1992) 39
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. I. The valence shell, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 453
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 471

- Fano plots for the slow and fast groups of excited hydrogen atoms produced in e-H₂ collisions, T. Ogawa, S. Ihara and K. Nakashima 161 (1992) 509
- Energy transfer processes*
- Statistical mechanical treatment of a compartmentalized molecular ensemble. Application to electronic energy transfer in micellar systems, A.V. Barzykin 161 (1992) 63
- Picosecond fluorescence anisotropy of Chl *a* in solution, P. Myslinski and J.A. Koningstein 161 (1992) 273
- Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment, U. Schnabel and H. Gabriel 161 (1992) 313
- Molecular photophysical processes*
- Application of the (Z+1)-core analogy model to tetrahedral compounds of first- and second-row elements, A. Koch, B.M. Nestmann and S.D. Peyerimhoff 161 (1992) 169
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. I. The valence shell, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 453
- Absolute oscillator strengths for the photoabsorption, photoionization and ionic photo-fragmentation of silicon tetrafluoride. II. The Si 2p and 2s inner shells, X. Guo, G. Cooper, W.-F. Chan, G.R. Burton and C.E. Brion 161 (1992) 471
- Theory of optical properties in nonstationary media created by femtosecond pulses: linear case, B. Fain and S.H. Lin 161 (1992) 515
- Intramolecular dynamics*
- The OH stretching frequency in LiClO₄·3H₂O(s) from ab initio and model potential calculations, L. Ojamäe and K. Hermansson 161 (1992) 87
- Large amplitude Hamiltonians for internal motion in AX₃ molecules. Inversion-rotation and stretching modes of NH₃, R. Wallace and C. Chu 161 (1992) 155
- Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 161 (1992) 447
- radiationless transitions*
- Relaxation processes of highly-excited naphthalene in solution studied by time-resolved thermal lensing technique, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 161 (1992) 447
- The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals, C. Kryschi, H.-C. Fleischhauer and B. Wagner 161 (1992) 485
- Luminescence spectra, yields and lifetimes*
- High-resolution electronic spectra of tetrahelicene and hexahelicene in low-temperature polycrystalline matrices, K. Palewska, Z. Ruziewicz, H. Chojnacki and E.C. Meister 161 (1992) 437
- The mechanism of singlet to triplet transitions of pentacene guests in *p*-terphenyl and benzoic acid crystals, C. Kryschi, H.-C. Fleischhauer and B. Wagner 161 (1992) 485
- Non-linear responses (including optical)*
- Third-harmonic generation from all-trans β -carotene in polystyrene thin films: multiple reflection effects and the onset of a two-photon resonance, J.B. van Beek, F. Kajzar and A.C. Albrecht 161 (1992) 299

Multiphoton phenomena

- Ab initio study of multiphoton absorption properties of methane, ethane, propane, and butane, V. Galasso 161 (1992) 189

Reactions (including dissociation)

- From dynamics to modeling of plasma complex systems: negative ion (H^-) sources, C. Gorse, R. Celiberto, M. Cacciatore, A. Laganà and M. Capitelli 161 (1992) 211
- Numerical evaluation of FC factors for highly anharmonic multidimensional potentials, R. Neumann and C. Engler 161 (1992) 229
- Dissociative excitation of SiH_4 by electron impact: emission cross sections for fragment species, S. Tsurubuchi, K. Motohashi, S. Matsuoka and T. Arikawa 161 (1992) 493

-gas phase

- Quasi-classical trajectory study of the dynamics of the reaction $O(^3P) + CS_2(X^1\Sigma_g^+) \rightarrow CS(X^1\Sigma^+) + SO(X^3\Sigma^-)$ using two model potential energy surfaces, A. Aguilar, M. González, F. Illas, J. Rubio and R. Sayós 161 (1992) 99
- Quantum-classical reaction-path model for chemical reactions. V. Relation to transition state theory, G.D. Billing 161 (1992) 245
- Dissociative excitation of SiH_4 by electron impact: emission cross sections for fragment species, S. Tsurubuchi, K. Motohashi, S. Matsuoka and T. Arikawa 161 (1992) 493
- Fano plots for the slow and fast groups of excited hydrogen atoms produced in $e-H_2$ collisions, T. Ogawa, S. Ihara and K. Nakashima 161 (1992) 509

-condensed phase

- Numerical evaluation of FC factors for highly anharmonic multidimensional potentials, R. Neumann and C. Engler 161 (1992) 229
- Probing dynamical disorder kinetics with chemical relaxation techniques, T.G. Dewey 161 (1992) 339
- Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR, J. Burri and H. Fischer 161 (1992) 429

Tunnelling

- Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies, V.A. Benderskii, D.E. Makarov, D.L. Pastur and P.G. Grinevich 161 (1992) 51
- An ENDOR study of the temperature dependence of methyl tunnelling, F. Bonon, M. Brustolon, A.L. Maniero and U. Segre 161 (1992) 257
- Theory of hydrogen-transfer reactions based on a harmonic two-mode tunneling model: an analytical treatment, U. Schnabel and H. Gabriel 161 (1992) 313
- Electronic tunneling in H_2^+ evaluated from the large-dimension limit, S. Kais, D.D. Frantz and D.R. Herschbach 161 (1992) 393

Electron transfer

- Charge-transfer contributions to the dielectric response of weak electron donor-acceptor complex crystals, T. Luty and K.-H. Brose 161 (1992) 33
- Magnetic moments and electron heat capacity of charge-ordered high-spin $Fe(II)-Fe(III)$ dimers, A.V. Koryachenko, S.I. Klokishner and B.S. Tsukerblat 161 (1992) 141
- Ab initio and semi-empirical studies of electron transfer and spectra of binuclear complexes with organic bridges, A. Broo and S. Larsson 161 (1992) 363

- Degenerate electron exchange of radical ions in liquid solution studied by pulse NMR, J. Burri and H. Fischer 161 (1992) 429
- Fluctuations and noise*
- Preexponential factor of the rate constant of low-temperature chemical reactions. Fluctuational width of tunneling channels and stability frequencies, V.A. Benderskii, D.E. Makarov, D.L. Pastur and P.G. Grinevich 161 (1992) 51
- Solute-solvent interactions between cyclodextrin and water: a molecular mechanical study, W. Linert, P. Margl and F. Renz 161 (1992) 327
- Surface effects and catalysis*
- Atomic scattering from disordered surfaces: a theoretical analysis of the cross-section overlap hypothesis, G. Petrella 161 (1992) 237
- Effects on silver surface enhanced Raman spectroscopy by competitive adsorption of hydroxide and halide ions, H. Park, S.B. Lee, M.S. Kim and K. Kim 161 (1992) 265
- Thermodynamic and transport properties*
- Solute-solvent interactions between cyclodextrin and water: a molecular mechanical study, W. Linert, P. Margl and F. Renz 161 (1992) 327
- Structure of solids and liquids*
- Scaled quantum mechanical calculation of the vibrational structure of the solvated glycine zwitterion, J.S. Alper, H. Dothe and M.A. Lowe 161 (1992) 199
- Polarization dependent resonant THG on Langmuir-Blodgett multilayers of rod-like polysilanes during annealing, S. Mittler-Neher, D. Neher, G.I. Stegeman, F.W. Embs and G. Wegner 161 (1992) 289
- Phase transitions*
- Crystal packing and phase transitions in solid bromoform, E. Burgos and E.B. Halac 161 (1992) 77
- Magnetic moments and electron heat capacity of charge-ordered high-spin Fe(II)-Fe(III) dimers, A.V. Koryachenko, S.I. Klokishner and B.S. Tsukerblat 161 (1992) 141

